

FREEZER

HÒA PHÁT - Funiki

WARRANTY
MONTHS

30

ONLY

HÒA PHÁT - Funiki

- › **Super durable**
- › **Saving Energy**
- › **Eco friendly**
- › **Keep your food safely**



HÒA PHÁT REFRIGERATION

🏭 **Factory**
Add: Pho Noi A Industrial zone, Giai Pham,
Yen My, Hung Yen Province, Viet Nam
Tel: 0221 222 8868/ Fax: 0221 394 2912

🏢 **Head office**
Add: 39 Nguyen Dinh Chieu, Le Dai Hanh Ward,
Hai Ba Trung District, Ha Noi
Tel: 024 6284 8777/ Fax: 024 6279 7085

🏢 **Da Nang City branch**
Add: 171 Truong Chinh street,
Thanh Khe District, Da Nang City
Tel: 0236 372 4567/ Fax: 0236 372 0343

🏢 **Ho Chi Minh City branch**
Add: 643 Dien Bien Phu District, HCM City
Tel: 028 3840 4688 / 3840 9604 / Fax: 028 3840 9605



📞 **Hotline: 1800 1022**
Free nationwide call



FREEZER HOA PHAT
INVERTER-COPPER PIPE EVAPORATOR



SPECIAL WARRANTY
30 Months
 Hotline: 1800 1022

FREEZER - ONE CHAMBER ONE DOOR
 ONE FREEZING SYSTEM

INVERTER
TECHNOLOGY



HIGH COOLING EFFICIENCY



Quick and deep cooling




Non CFC



High quality compressor



FIVE-STAR CERTIFICATION



COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE

Product features

- Produced on modern lines
- **Inverter technology, super energy saving**
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **Tempered glass**
- **30 months warranty**



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCFI 516S1Đ1	1080	610	885	45	252	1	220 V/50Hz	80	R600a

Product can be changed due to the innovation without notice


- Copper pipe evaporator
- Quick and deep cooling
- Safety lock
- Saving energy
- Wheeled easy to move
- Non CFC
- High quality compressor
- Energy efficiency

FREEZER - ONE CHAMBER TWO DOORS

ONE FREEZING SYSTEM

INVERTER
TECHNOLOGY

HIGH COOLING EFFICIENCY



COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE



Product features

- Produced on modern lines
- **Inverter technology, super energy saving**
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**

PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCFI 666S1D2	1304	670	890	53	352	1	220 V/50Hz	80	R600a

Product can be changed due to the innovation without notice


FREEZER - TWO CHAMBERS TWO DOORS

TWO SYSTEMS "FREEZING & COOLING"


INVERTER
TECHNOLOGY

Product features

- Produced on modern lines
- **Inverter technology, super energy saving**
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **Tempered glass**
- **30 months warranty**



COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE



QUICK AND DEEP
COOLING

KEEP YOUR FOOD
SAFELY



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCFI 506S2D2	1035	610	915	48	205	2	220 V/50Hz	50	R600a
HCFI 606S2D2	1235	610	915	53	245	2		50	R600a
HCFI 656S2D2	1235	660	915	56	271	2		50	R600a

Product can be changed due to the innovation without notice

FREEZER COPPER PIPE EVAPORATOR PURE - SUPER DURABLE

SUPER DURABLE - FAST COLING




**FREEZER HOA PHAT
COPPER PIPE EVAPORATOR**



FAMILY FREEZER - ONE CHAMBER ONE DOOR ONE FREEZING SYSTEM



HIGH COOLING EFFICIENCY



**COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE**



Product features

White SH

- Produced on modern lines
- Copper pipe evaporator; super durable; super saving energy
- Non CFC; Eco friendly
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**



Quick and deep cooling



Non CFC



High quality compressor



Safety lock



R600a



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 106S1Đ/SH	564	590	870	30	107	1	220 V/50Hz	88	R600a

Product can be changed due to the innovation without notice

FREEZER - ONE CHAMBER ONE DOOR

ONE FREEZING SYSTEM


Product features




- Produced on modern lines
- Non CFC; Eco friendly
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **Tempered glass**
- **30 months warranty**



QUICK AND DEEP COOLING
KEEP YOUR FOOD SAFELY



COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 336S1Đ1/SH	814	532	866	37	162	1	220 V/50Hz	111	R600a
HCF 516S1Đ1/SH	1080	610	885	45	252	1		123	R600a

Product can be changed due to the innovation without notice

FREEZER - ONE CHAMBER TWO DOORS

ONE FREEZING SYSTEM

QUICK AND DEEP COOLING
KEEP YOUR FOOD SAFELY



FREEZER - TWO CHAMBERS ONE DOORS

TWO SYSTEMS "FREEZING & COOLING"


Product features



- Produced on modern lines
- Non CFC; Eco friendly
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **Tempered glass**
- **30 months warranty**



HCF 666S1Đ2/SH No tempered glass



COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE

PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 666S1Đ2/SH	1304	670	890	53	352	1	220 V/50Hz	149	R600a
HCF 506S2Đ2/SH	1035	610	915	48	205	2		122	R600a
HCF 606S2Đ2/SH	1235	610	915	53	245	2		122	R600a
HCF 656S2Đ2/SH	1235	660	915	56	271	2		122	R600a

Product can be changed due to the innovation without notice



ALUMINUM EVAPORATOR



KEEP YOUR FOOD SAFELY



FAMILY FREEZER - ONE CHAMBER ONE DOOR ONE FREEZING SYSTEM



QUICK AND DEEP COOLING

KEEP YOUR FOOD SAFELY



Product features


- Produced on modern lines
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**



Quick and deep cooling



Non CFC



High quality compressor



Safety lock



R600a

PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 10651N	564	590	870	30	107	1	220 V/50Hz	88	R600a

Product can be changed due to the innovation without notice



FREEZER - ONE CHAMBER ONE DOOR

ONE FREEZING SYSTEM

MULTI AIRFLOW
DIRECTIONAL
KEEP YOUR FOOD
SAFELY




7 LEVES
temperature swich with 7 levels;
Storage variety of foods



Product features

- Produced on modern lines
- Non CFC; Eco friendly
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **Tempered glass**
- **30 months warranty**



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 336S1N1	814	532	866	37	162	1	220 V/50Hz	111	R600a
HCF 516S1N1	1080	610	885	45	252	1		123	R600a


Product can be changed due to the innovation without notice

FREEZER - ONE CHAMBER TWO DOORS

ONE FREEZING SYSTEM

Product features

- Produced on modern lines
- Non CFC; Eco friendly
- 50mm-62 mm thickness - polyurethane insulation help cabinet keep heat well, saving energy
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**



R600a

HIGH COOLING EFFICIENCY

FREEZER - TWO CHAMBERS TWO DOORS (Tempered glass lid)

TWO SYSTEMS "FREEZING & COOLING"



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 666S1N2	1304	670	890	53	352	1	220 V/50Hz	149	R600a
HCF 506S2N2	1035	610	915	48	205	2		122	R600a
HCF 606S2N2	1235	610	915	53	245	2		122	R600a
HCF 656S2N2	1235	660	915	56	271	2		122	R600a

Product can be changed due to the innovation without notice

FREEZER Funiki



**QUICK AND DEEP
COOLING**
**KEEP YOUR FOOD
SAFELY**



FREEZER Funiki

FREEZER - TWO CHAMBERS TWO DOORS
TWO SYSTEMS "FREEZING & COOLING"



TEMPURATURE CONTROLLER
VERY CONVENIENT



Product features

- Produced on modern lines
- Non CFC; Eco friendly
- Nature cooling, air convection
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**



Quick and deep cooling



Non CFC



High quality compressor



Handy handle

PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF-400 S2PH2.N	944	577	816	39,5	161	2	220 V/50Hz	110	R134a

Product can be changed due to the innovation without notice

FREEZER - ONE CHAMBER TWO DOORS

ONE FREEZING SYSTEM

Product features

- Produced on modern lines
- Non CFC; Eco friendly
- Nature cooling, air convection
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**



Quick and deep cooling



Non CFC



High quality compressor



Convenient control panel



COPPER PIPE EVAPORATOR
PURE - SUPER DURABLE

FREEZER - ONE CHAMBER THREE DOORS

ONE FREEZING SYSTEM

Product features


- Produced on modern lines
- Non CFC; Eco friendly
- Nature cooling, air convection
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Freezer temperature $\leq -18^{\circ}$
- **30 months warranty**



Quick and deep cooling



Non CFC



High quality compressor



Safety lock



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF-830 S1PĐ2.N	1531	725	842	65	434	1	220 V/50Hz	253	R134a
HCF-1000 S1PĐ2.N	1843	725	842	77	543	1		305	R134a
HCF-1100 S1PĐ2.N	1973	725	842	79	588	1		355	R134a
HCF-1300 S1PĐ3.N	2415	725	842	102	742	1		355	R134a
HCF-1700 S1PĐ3.N	3017	749	902	128	1066	1		550	R134a

Product can be changed due to the innovation without notice

SHOWCASE FREEZER - ONE CHAMBER TWO SLIDING DOORS

ONE FREEZING SYSTEM

Product features

- One chamber, one freeze mode
- Tempered glass and double curved glass door,
- Inner chamber's surface is flat, easy to clean
- Have wheels; easy to move
- Handle with luxury designed, easy to use
- High quality compressor, low noise, fast cooling
- Copper pipe evaporator; super durable; super saving energy
- Nature cooling, air convection
- **30 months warranty**



Quick and deep cooling




Non CFC



High quality compressor



Handiness switch



TEMPERED GLASS LID
EASY TO VIEW FOODS INSIDE



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Chamber	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
HCF 500 S1PĐG.N	1000	695	850	58	273	1	220 V/50Hz	235	R134a
HCF 680 S1PĐG.N	1250	695	850	68	355	1		276	R134a
HCF 800 S1PĐG.N	1500	695	850	75	445	1		340	R134a

Product can be changed due to the innovation without notice

UPRIGHT FREEZER ONE DOOR

ONE FREEZING SYSTEM



**DRAWERS
CONVENIENT**



R600a

HIGH COOLING EFFICIENCY

Product features



- One freeze system
- One door
- Design provide many convenient drawers
- Adjustable cabinet legs
- Have wheels; easy to move
- Nature cooling, air convection
- **30 months warranty**



PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Drawers	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
DOOR MADE OF PCM / POWDER COATING DOOR									
HCF 116P/S	545	542	838	29,5	100	4	220 V/50Hz	90	R600a
HCF 166P/S	545	542	1144	39	152	6		95	R600a

Product can be changed due to the innovation without notice

UPRIGHT FREEZER ONE DOOR

ONE FREEZING SYSTEM

Product features



- One freeze system
- One door
- Design provide many convenient drawers
- Adjustable cabinet legs
- Have wheels; easy to move
- Nature cooling, air convection
- **30 months warranty**



**DRAWERS
CONVENIENT**

PRODUCT SPECIFICATION

Model	Net Dimension (mm)			Net weight (Kg)	Net capacity (L)	Drawers	Power supply (V/Hz)	Power capacity (W)	Refrigerant
	Width	Depth	Height						
DOOR MADE OF PCM / POWDER COATING DOOR									
HCF 220P/S	545	542	1450	48,5	216	8	220 V/50Hz	140	R134a
HCF 280S	600	620	1495	54,5	280	6		190	R134a

Product can be changed due to the innovation without notice